YOUR DECISION:

PROFHILO®

I have been told that reactions such as redness, oedema, pain and itching may follow treatment, as may an acne like eruption. All these reactions are linked to the procedure itself and usually resolve after a few days. I have also been told that lumps, abscesses and indurations - sometimes associated with redness and/or swelling - have been reported after treatment in some patients. In most cases, these side effects disappeared, however in some cases, they have lasted up to two weeks. I was also informed about very rare cases, as described in literature, of discolouration at the injection point, necrosis of glabellar area and hypersensitivity after hyaluronic acid injections. All side effects must be reported to the practitioner as soon as possible.

Patients who have had herpes simplex (cold sores) in the past should note that there is always a risk that injecting any product around lip area and/or previously affected areas may cause the herpes to flare up again.

I understand that the result of the treatment is variable and that the outcome of the treatment cannot be guaranteed.

After treatment, I will follow the advice given by my practitioner to achieve satisfactory aesthetic results. I realise that if I do not follow this advice the end result may be less optimal. I am aware of the importance of follow-up care and my own responsibility.

I have been given the chance to ask all the questions I wanted and I have received satisfactory replies to all of them. Now that the procedure has been fully explained to me, I consent to have the appropriate injectable treatment.

CLIENT: Name:		Sig <mark>nature</mark> :	Date:
Clinician:		Additional Note	s/Lot Numbers of Products
I confirm I have summarised		······································	······································
the relevant consent			
information verbally & checked understanding.			
Clinician Signature:			
Cililician Signature:			
Date:	•		
Date:			